

Physical & Chemical Tests Record Sheet (To be completed monthly)

Site Name: Barwon R	Lelow Bu	Jak	ley Fall	S	Site Code	e:BA	R 100
Name of Monitoring Group: F & B F							
Person(s) Conducting the test: Helen Schofield.							
Date of test: Mon 21)-5-24		Time of test:	Sec.	11.00		am/pm
Site Risk Assessment Completed: signature please: H. School and additional risks in the box below							
Test	Result (units)			itiai nazi	Calculations, dilu		
Dissolved Oxygen	9.0 m	ng/L	84	% sat.			
Water Temperature	12°C			° C			
Air Temperature	14°C			° C	12°C car °	150	my thermom
рН	Meter calibrated to pH 7 & pH 10)	8.0 p	H units	puper str	uo	my thermom
Electrical Conductivity (Salinity)	Meter calibrated to 1413, 2,000 or 12,880EC		1,592	C units µS/cm.)	
Reactive Phosphorus		0.	Q 3	mg/L P	Aguagu	aut	-
Turbidity	10	N.T.U./F.T.U.		plastic tube			
Weather conditions at the time of sampling:							
sunny	loudy		overcast		raining		windy
Rainfall:							
Last rainfall:	More than week ago		During the last week		During the last 24 hours		Raining now
Amount of rain (mm) Water flow		4	4-mm	Dri	zzle Imm		
Flow indicator (if available)	ML/day	Wate	er appearance				
Estimate of flow	Not flowing (still)	4	Clear		Milky		Foamy /frothy
☐ Not flowing (pool) ☐	Low (minimum)		Muddy		Smelly		Stained green
Medium (average)	High (but below bankfull)		Scummy		Oily		Stained brown
Flood (over bank)	Permanent (lakes & wetlands)		Other (descripti	on)			<i>h</i>
Stream depth Depth indicatorm	0 - 50 cm deep		51cm-1m deep		1 to 2 m deep		Unknown depth
Stream width Average width of stream: 25	mormal		< 2 m wide		2 to 5 m wide		>5 m wide
Drain present at site: no Water flowing from drain: Yes Color Clear Odour Odour							
Litter pollutants: (Tick type f	ound)	-	plastic		clothing		car bodies
paper	bottles		polystyrene		oil		petrol/diesel
packets	cans		waxed cardboard		other		
Circumstantial hazards and additional risks Waterwatch Data Management System: Data entry							itry
Hazard: Ri	Person entering site visit information						
Risk Control Measures:	Date of entry Site visit approved by Coordinator (initial and date)						
Site visit approved by Coordinator (initial and date)							